



Vehicle
Certification
Agency



Maritime &
Coastguard
Agency



Department
for Transport



VCA Dangerous Goods Office
Cleeve Road, Leatherhead
Surrey, KT22 7NF, UK
T +44 (0)1372 226110
F +44 (0)1372 226116
E dgenquiries@vca.gov.uk
www.dft.gov.uk/vca

CERTIFICATE OF PACKAGING PERFORMANCE

Issued on behalf of the Department for Transport, Civil Aviation Authority and the Maritime and Coastguard Agency by the VCA Dangerous Goods Office

Certificate serial number: 5307

NOT TRANSFERABLE

Application No.: 7393

Issue number and date: 05 19/12/2019

Issued to: ECONIX LTD
Unit 9, Parkwood Business Park
75 Parkwood Road
Sheffield
Sth. Yorkshire
S3 8AL

Packaging type: 4G

Description:
Fibreboard box

With:

Corrugated/solidboard: Solidboard style: mfg: Heat sealed
Dimensions: length from 169 to 189 width from 153 to 177 height from 109 to 384
Combined dimensions l + w + h from 475 to 706
Closure top flaps: See special notes Closure bottom flaps: Heat sealed
Battened: No Strapped: No
Fittings and material: Top pad: No- Liner: No-
Bottom Pad: No- Layer Pad: No-
Dividers: No- Void Filler: No-

Contents Tested with damp tissue, petri dishes and surgical gloves for clinical waste

Details Inner packages:

(1)
Number: 9999
Type: Clinical waste desc

Closure:

Special Notes:

Top is folded over to reveal 20mm double sided tape used to seal box with extensions to end faces. Parallel sided container

The packaging is approved, as provided in the relevant transport rule, to contain articles or articles in inner packagings.

Packing Group	Maximum gross mass (kg)
I	-
II	1
III	1

Board Grammages (gsm) and Sources:

Outer: 350	Flute 1:
Middle:	Flute 2:
Extra Middle:	Extra Flute:
Inner:	Combined: 350
Box Source:	Town
SEABRIGHT LTD	Kingston-upon-Hull

Further details and options on schedule issue no n/a and date n/a.

It is certified that samples of the packaging design type described above have been tested in accordance with the provisions of the United Nations Recommendations on the Transport of Dangerous Goods, Chapter 6.1 (and the equivalent provisions in RID/ADR, the IMDG Code and the ICAO Technical Instructions) and successfully met the criteria described in paragraphs 6.1.5.3 to 6.1.5.6: at test levels of:

Drop Height (m)	Stack Height (m)
1.2	3

THE TEST REPORT(S) AND ITS APPENDICES ARE AN INTEGRAL PART OF THIS DOCUMENT

Packagings of the sample specifications shall bear the marking:

4G/Y1/S/**/GB/5307

** To be replaced by the last two digits of the year of manufacture

Revalidation due: 31/12/2024

For further details see www.vca.gov.uk

Signed: Keith F B White, Acting Head of Dangerous Goods VCA DGO